





骏博户外照明有限公司

LUMIX SOLUTION

资质认证 Certification



骏博照明始创于 1990 年的中国灯饰之都 ----- 广东省中山市古镇。

骏博照明是一家集 LED 户外照明产品设计、研发、生产、销售、服务于一体的企业。公司以独特新颖的造型及优良的品质立足于市场。经过全体员工的不懈努力、开拓创新，公司已研发出多款铝型材 LED 庭院灯、LED 草坪灯、LED 壁灯等，太阳能系列产品也同时推出市场，并拥有多项户外 LED 照明产品专利。公司本着“诚信为本，优质为上”的经营服务理念，为广大客户提供更高的核心竞争力和性价比产品。公司主打新款产品 LED 铝型材庭院灯、草坪灯、壁灯以品质取胜，并在业界拥有良好的口碑，深受资深建筑设计师和全国各地经销商的喜爱，产品畅销全中国，远销欧美、韩国、沙特阿拉伯、中东南亚地区等。企业生产管理严格执行各国国家标准进行生产，企业全面推行 ISO-9002 的质量管理体系。

企业文化是企业传承和发展的基因。十多年来，骏博人始终铭记在心的企业价值准则：

企业信念：我们所有的目标都会实现

企业愿景：让我们所有人的生活变的更美好

企业使命：让全世界有人的地方都得到光明

企业宗旨：让客户满意是我们最大的幸福

企业管理理念：我们每一位同事都是企业的主人

企业经营理念：没有最好、只有更好

企业服务理念：诚信为本，优质为上

一、创新

创新是企业发展的灵魂。创新是企业获得持续发展的最重要的动力。对一个企业来说，它要适应整个环境的变化，不断地创新自己经营的理念、思路、模式和产品，通过不断的创新来提高企业竞争力。

二、诚信

诚信是企业立足之本。企业要始终做到诚实守信，坚持“君子爱财，取之有道”，并把这一理念落实到企业活动的每一环节之中，虽然有可能在某些方面一时吃亏，但讲诚信终究会使企业实现其发展的长期目标。

三、共赢

共赢是企业发展的价值所在。企业与供应商是亲密伙伴，企业与员工是亲密搭档。一起合作，一起努力，享受成果，共创双赢。

四、务实


务实是企业的根本。唯有务实，企业才能生存；唯有务实，企业才能发展；唯有务实，企业才能跨越；唯有务实，企业才能腾飞。

五、效率

效率是企业的生命。把工作群体建立成为一个高效率的团队，让所有该团队的成员体现团队效率的同时，个人能力得到最大程度的发挥。



JB-SL001B1



LED Garden Light


LED 庭院灯

产品说明 Product description



- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配有 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-SL001A1	JB-SL001B1	JB-SL001C1
灯体尺寸 Lamp size	 150 x 100mm	 150 x 75mm	 130 x 85mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M
功率 Power	30W	20W	20W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
透镜角度 Lens angle	120°70°		
效率 Efficiency	87%		
防护等级 Protection levels	IP65		

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造, 灯杆坚韧度高, 材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源, 灯体侧面发光部分则配备 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所: 公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-SL002C1 JB-SL126I2 JB-SL129I2



技术参数 Technology information


产品型号 Product Code	JB-SL002C1	JB-SL126I2	JB-SL129I2
灯体尺寸 Lamp size	 130 x 85mm	 230 x 80mm	 150 x 100mm
产品高度 Product height	3M-4M	3M-4M	3M-4M
功率 Power	30-40W	30-40W	30-40W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
透镜角度 Lens angle	120°/70°		
效率 Efficiency	87%		
防护等级 Protection levels	IP65		

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN001
专利号：201630614652.4


JB-GN001E1



JB-GN001A2



技术参数 Technology information

产品型号 Product Code	JB-GN001A1	JB-GN001B1	JB-GN001C1	JB-GN001E1
灯体尺寸 Lamp size	 150 × 100mm	 150 × 75mm	 130 × 85mm	 150 × 60mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M	3M-4M
功率 Power	30W - 60W	20W / 30W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

LED Garden Light

LED 庭院灯

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN002A1	JB-GN002B1	JB-GN002C1	JB-GN002E1
灯体尺寸 Lamp size	 150 x 100mm	 150 x 75mm	 130 x 85mm	 150 x 60mm
产品高度 Product height	4M-6M	3M-4M	3M-3.5M	3M-4M
功率 Power	30W - 60W	20W / 30W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°/70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

JB-GN002E1

JB-GN002B1

JB-GN002A1

专利号: 201630614653.9



CE FC RoHS
最受欢迎照明运营商



JB-GN002E1

产品说明 Product description




材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN002A2	JB-GN002C2	JB-GN002A3	JB-GN002C3
灯体尺寸 Lamp size	 150 × 100mm	 130 × 85mm	 150 × 100mm	 130 × 85mm
产品高度 Product height	4M-6M	3M-3.5M	4M-6M	3M-3.5M
功率 Power	30W+10W-60W+20W	20W+10W/30W+10W	2 × 30W-2 × 60W	2 × 20W/2 × 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

JB-GN002A2

专利号: 201630614651.X

JB-GN002C3

专利号: 201630614801.7

LED

Garden Light


LED 庭院灯

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN126I2

JB-GN126I1

专利号: 201630614655.8

JB-GN001I1

专利号: 201630614802.1



技术参数 Technology information

产品型号 Product Code	JB-GN001I1	JB-GN126I1	JB-GN126I2
灯体尺寸 Lamp size	 230 × 80mm	 230 × 80mm	 230 × 80mm
产品高度 Product height	3M-4M	3M-4M	3M-4M
功率 Power	30W	30W	30W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
透镜角度 Lens angle	120°70°		
效率 Efficiency	87%		
防护等级 Protection levels	IP65		



JB-GN010C1

专利号：201630614681.0

LED

Garden Light


LED 庭院灯



产品说明 Product description

- 材质工艺：
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information		
产品型号 Product Code	JB-GN010A1	JB-GN010C1
灯体尺寸 Lamp size	 150 × 100mm	 130 × 85mm
产品高度 Product height	4M-6M	3M-4M
功率 Power	2 × 30W - 2 × 60W	2 × 20W / 2 × 30W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



JB-GN003B1

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN003EY2

专利号: 201630614654.3



JB-GN003E1



技术参数 Technology information

产品型号 Product Code	JB-GN003A1	JB-GN003B1	JB-GN003C1	JB-GN003E1	JB-GN003EY2
灯体尺寸 Lamp size	 150 × 100mm	 150 × 75mm	 130 × 85mm	 150 × 60mm	 150 × 60mm + Φ89mm
产品高度 Product height	4M-6M	3M-4M	3M-4M	3M-4M	3M-4M
功率 Power	30W+10W 60W+20W	20W+10W / 30W+10W	20W+10W / 30W+10W	20W-40W	20W+7W 30W+7W
灯体材质 Lamp material	6063 Aluminum material				
色温 Color temp	3000K / 6000K				
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white				
芯片 LED chips	PHILIPS / CREE / BRIGDELUX				
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®				
透镜角度 Lens angle	120°70°				
效率 Efficiency	87%				
输入电压 Input voltage	AC85-265V				
防护等级 Protection levels	IP65				



JB-GN12911

专利号：201630614720.7

JB-GN005A1

LED

Garden Light


LED 庭院灯

产品说明 Product description


- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN005A1	JB-GN005C1	JB-GN12911
灯体尺寸 Lamp size	 150 × 100mm	 130 × 85mm	 200 × 100mm
产品高度 Product height	4M-6M	3M-3.5M	3M-4M
功率 Power	40W	40W	36W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / CREE / BRIGDELUX		
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®		
透镜角度 Lens angle	120°70°		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		

LED

Garden Light


LED 庭院灯

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN004
专利号: 201630614804.0



技术参数 Technology information

产品型号 Product Code	JB-GN004A1	JB-GN004C1
灯体尺寸 Lamp size	 150 × 100mm	 130 × 85mm
产品高度 Product height	4M-6M	3M-3.5M
功率 Power	30W-40W	30W-40W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



JB-GN004A3

LED Garden Light


LED 庭院灯

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN004A3	JB-GN004C3
灯体尺寸 Lamp size	 150 x 100mm	 130 x 85mm
产品高度 Product height	4M-6M	3M-4M
功率 Power	30W-40W	30W-40W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



JB-GN006F1

LED

Garden Light


LED 庭院灯

产品说明 Product description


- 材质工艺：
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN006F1
灯体尺寸 Lamp size	 200 × 100mm
产品高度 Product height	3M-4M
功率 Power	30W
灯体材质 Lamp material	6063 Aluminum material
色温 Color temp	3000K / 6000K
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white
芯片 LED chips	PHILIPS / CREE / BRIGDELUX
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®
透镜角度 Lens angle	120°70°
效率 Efficiency	87%
输入电压 Input voltage	AC85-265V
防护等级 Protection levels	IP65



JB-GN007H2

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所: 公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



LED Garden Light

LED 庭院灯

技术参数 Technology information

产品型号 Product Code	JB-GN007G1	JB-GN007G2	JB-GN007H1	JB-GN007H2
灯体尺寸 Lamp size	 120 × 120mm	 120 × 120mm	 100 × 100mm	 100 × 100mm
产品高度 Product height	4M-6M	4M-6M	3M-4M	3M-4M
功率 Power	30W - 60W	30W - 60W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

JB-GN007H1

专利号: 201630614556.X

LED

Garden Light


LED 庭院灯

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN008G1
专利号：201730215716.8



技术参数 Technology information

产品型号 Product Code	JB-GN008G1	JB-GN008H1
灯体尺寸 Lamp size	 120 × 120mm	 100 × 100mm
产品高度 Product height	4M-6M	3M-4M
功率 Power	30W - 60W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	

LED Garden Light

LED 庭院灯

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:


- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material, the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply, the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fāctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road, etc.

配光曲线 Light Distribution Curve



JB-GN009D1

专利号: 201730215704.5



技术参数 Technology information

产品型号 Product Code	JB-GN009D1
灯体尺寸 Lamp size	 130 × 130 × 130mm
产品高度 Product height	3M-4M
功率 Power	30W
灯体材质 Lamp material	6063 Aluminum material
色温 Color temp	3000K / 6000K
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white
芯片 LED chips	PHILIPS / CREE / BRIGDELUX
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®
透镜角度 Lens angle	120°70°
效率 Efficiency	87%
输入电压 Input voltage	AC85-265V
防护等级 Protection levels	IP65

LED Garden Light LED 庭院灯




产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fancional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



LED 庭院灯系列 | LED GARDEN LIGHT SERIES



JB-GN117D1 JB-GN118H1
专利号：201730215694.5

技术参数 Technology information

产品型号 Product Code	JB-GN117D1	JB-GN118H1
灯体尺寸 Lamp size	 130 × 130 × 130mm	 120 × 120mm
产品高度 Product height	3M-4M	3M-4M
功率 Power	30W	48W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	

LED

Garden Light

LED 庭院灯



JB-GN119A2

专利号: 201730215693.0



JB-GN119C1

专利号: 201630614827.1

产品说明



Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配有 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路人行道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.




配光曲线

Light Distribution Curve



技术参数

Technology information


产品型号 Product Code	JB-GN119A2	JB-GN119C2	JB-GN119A1	JB-GN119C1
灯体尺寸 Lamp size	 150 × 100mm	 130 × 85mm	 150 × 100mm	 130 × 85mm
产品高度 Product height	3M-4M	3M-4M	3M-4M	3M-4M
功率 Power	20W / 30W	20W / 30W	20W / 30W	20W / 30W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

产品说明 Product description


- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN128J1
专利号：201730215688.X




JB-GN128J2



技术参数 Technology information

产品型号 Product Code	JB-GN128J1	JB-GN128J2
灯体尺寸 Lamp size	 200 × 200mm	 200 × 200mm
产品高度 Product height	3M-6M	3M-6M
功率 Power	20W - 50W	20W / 60W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



JB-GN127B1

专利号: 201630614805.5

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配备 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所: 公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



技术参数 Technology information

产品型号 Product Code	JB-GN127B1
灯体尺寸 Lamp size	 300 × 150mm
产品高度 Product height	3M-6M
功率 Power	20W - 50W
灯体材质 Lamp material	6063 Aluminum material
色温 Color temp	3000K / 6000K
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white
芯片 LED chips	PHILIPS / CREE / BRIGDELUX
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®
透镜角度 Lens angle	120°*70°
效率 Efficiency	87%
输入电压 Input voltage	AC85-265V
防护等级 Protection levels	IP65




产品说明 Product description

- 材质工艺：
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN8011H1



技术参数 Technology information

产品型号 Product Code	JB-GN8011G1	JB-GN8011H1
灯体尺寸 Lamp size	 120 × 120mm	 100 × 100mm
产品高度 Product height	3M-6M	3M-4M
功率 Power	40W - 80W	40W / 60W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	

LED

Garden Light

LED 庭院灯

产品说明


Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用LED灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线

Light Distribution Curve



JB-GN103Z3






JB-GN103Z25



技术参数

Technology information

产品型号 Product Code	JB-GN103Z3		JB-GN103Z25	
灯体尺寸 Lamp size				
	Φ114mm+Φ76mm	Φ140mm+Φ89mm	Φ114mm+Φ76mm	Φ140mm+Φ89mm
产品高度 Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
功率 Power	30W		30W	
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			



JB-GN103Z5

LED Garden Light LED 庭院灯

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN103Z4



技术参数 Technology information

产品型号 Product Code	JB-GN103Z4		JB-GN103Z5	
灯体尺寸 Lamp size	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm
产品高度 Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
功率 Power	30W		30W	
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	PHILIPS / CREE / BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
透镜角度 Lens angle	120°70°			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			

LED

Garden Light

LED 庭院灯

产品说明



Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线

Light Distribution Curve



JB-GN103Z10



技术参数

Technology information


产品型号 Product Code	JB-GN103Z10	
灯体尺寸 Lamp size	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm
产品高度 Product height	3M-3.5M	3.5M-4M
功率 Power	30W + 3W	
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN103Z21



JB-GN103Z11



技术参数 Technology information

产品型号 Product Code	JB-GN103Z21		JB-GN103Z11			
灯体尺寸 Lamp size	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm		
产品高度 Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M		
功率 Power	30W		36W			
灯体材质 Lamp material	6063 Aluminum material					
色温 Color temp	3000K / 6000K					
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white					
芯片 LED chips	PHILIPS / CREE / BRIGDELUX					
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®					
透镜角度 Lens angle	120°70°					
效率 Efficiency	87%					
输入电压 Input voltage	AC85-265V					
防护等级 Protection levels	IP65					

LED Garden Light LED 庭院灯

产品说明 Product description


材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造,灯杆坚韧度高,材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源,灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所: 公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:



- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

配光曲线 Light Distribution Curve



JB-GN103Z23

技术参数 Technology information

产品型号 Product Code	JB-GN103Z23	
灯体尺寸 Lamp size	 Φ 114mm+ Φ 76mm	 Φ 140mm+ Φ 89mm
产品高度 Product height	3M-3.5M	3.5M-4M
功率 Power	60W	
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	PHILIPS / CREE / BRIGDELUX	
驱动 Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
透镜角度 Lens angle	120°70°	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



JB-GG021R6



JB-GG021R1



产品说明 Product description

- 材质工艺：
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/ white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/ prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



技术参数 Technology information

产品型号 Product Code	JB-GG021R1	JB-GG021R6
灯体尺寸 Lamp size	 Φ 76mm	 Φ 76mm
产品高度 Product height	80CM	80CM
功率 Power	5W	5W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	CREE / BRIGDELUX	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



JB-GG021X2



JB-GG021Y3



产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



技术参数 Technology information

产品型号 Product Code	JB-GG025X2	JB-GG021Y3
灯体尺寸 Lamp size	 Φ89mm	 Φ114mm
产品高度 Product height	80CM	80CM
功率 Power	7W	9W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	CREE / BRIGDELUX	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	



JB-GG026G4
专利号：201630610590.X

JB-GG028C2
专利号：201730215689.4



JB-GG027B2
专利号：201730215690.7

产品说明 Product description


- 材质工艺：
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.


技术参数 Technology information

产品型号 Product Code	JB-GG026G4	JB-GG028C2	JB-GG027B2
灯体尺寸 Lamp size	 120 × 120mm	 130 × 85mm	 150 × 75mm
产品高度 Product height	80CM	80CM	80CM
功率 Power	12W	8W	8W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	BRIGDELUX		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





JB-GG017A1
专利号: 201530149560.9



JB-GG019A1
专利号: 201530149558.1



产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造, 灯杆坚韧度高, 材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源, 灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code	JB-GG017A1	JB-GG019A1
灯体尺寸 Lamp size	 150*100mm	 150*100mm
产品高度 Product height	80CM	80CM
功率 Power	6W	12W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	BRIGDELUX	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	






JB-GG025J1



JB-GG025J2



JB-GG025J3



产品说明 Product description

- 材质工艺：
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭院、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code	JB-GG025J1	JB-GG025J2	JB-GG025J3
灯体尺寸 Lamp size	 200*200mm	 200*200mm	 200*200mm
产品高度 Product height	80CM	80CM	80CM
功率 Power	10W	10W	10W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / BRIGDELUX		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





JB-GG029C1



JB-GG030G1



JB-GG023I2



JB-GG031D1



LED 草坪灯系列 | LED LAWN LIGHT SERIES



产品说明 Product description


- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配备 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



技术参数 Technology information

产品型号 Product Code	JB-GG029C1	JB-GG030G1	JB-GG023I2	JB-GG031D1
灯体尺寸 Lamp size	 130 × 85mm	 120 × 120mm	 200 × 80mm	 130 × 130 × 130mm
产品高度 Product height	80CM	80CM	80CM	80CM
功率 Power	5W	5W	10W	5W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	CREE			
驱动 Power supply	JUNBO driver			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			



JB-GG023I1



JB-GG002G1

产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-functional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



JB-GG022B1

技术参数 Technology information

产品型号 Product Code	JB-GG0023I1	JB-GG002G1	JB-022B1
灯体尺寸 Lamp size	 180*80mm	 120*120mm	 150*75mm
产品高度 Product height	80CM	80CM	80CM
功率 Power	3W	9W	10W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	PHILIPS / BRIGDELUX		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		






JB-W101R1



JB-W106R1




JB-W106R2

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code	JB-W101R1	JB-W106R1	JB-W106R2
灯体尺寸 Lamp size	 Φ 76mm	 Φ 76mm	 Φ 76mm
功率 Power	5W	5W	2*5W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE / BRIGDELUX		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





JB-W102X1



JB-W102X1D
专利号：201630614607.9

产品说明 Product description

材质工艺：


- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fancional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.


技术参数 Technology information

产品型号 Product Code	JB-W102X1	JB-W102X1D
灯体尺寸 Lamp size	 Φ 89mm	 Φ 89mm
功率 Power	7W	2*7W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	CREE / BRIGDELUX	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	





JB-W103Y1
专利号: 201630614609.8



JB-W103Y1D

产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造, 灯杆坚韧度高, 材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源, 灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所: 公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code	JB-W103Y1	JB-W103Y1D
灯体尺寸 Lamp size	 Φ 114mm	 Φ 114mm
功率 Power	9W	2*9W
灯体材质 Lamp material	6063 Aluminum material	
色温 Color temp	3000K / 6000K	
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white	
芯片 LED chips	CREE / BRIGDELUX	
驱动 Power supply	JUNBO driver	
效率 Efficiency	87%	
输入电压 Input voltage	AC85-265V	
防护等级 Protection levels	IP65	





JB-W205Y3D
专利号: 201630614577.4



JB-W202D3D
专利号: 201630614558.9



JB-W205Y3



JB-W202D3

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code	JB-W205Y3	JB-W205Y3D	JB-W202D3	JB-W202D3D
灯体尺寸 Lamp size	 Φ 114mm	 Φ 114mm	 130*130*130mm	 130*130*130mm
功率 Power	COB 7W	2*COB 7W	COB 10W	2*COB 10W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			






JB-W207C2D
专利号: 201630614560.6



JB-W206A3D
专利号: 201630614606.4



JB-W207C2




JB-W206A3

产品说明 Product description

- 材质工艺:
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合: 红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所: 公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

- Material and Technology:
- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
 - The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
 - The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
 - The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
 - The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code	JB-W207C2	JB-W207C2D	JB-W206A3	JB-W206A3D
灯体尺寸 Lamp size	 130*85mm	 130*85mm	 150*100mm	 150*100mm
功率 Power	6W	2*6W	COB 10W	2*COB 10W
灯体材质 Lamp material	6063 Aluminum material			
色温 Color temp	3000K / 6000K			
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white			
芯片 LED chips	BRIGDELUX			
驱动 Power supply	PHILIPS driver / MW driver from taiwan			
效率 Efficiency	87%			
输入电压 Input voltage	AC85-265V			
防护等级 Protection levels	IP65			





JB-W208G3D



JB-W208G3

专利号：201630614559.3



JB-W209E5D

专利号：201630614608.3

产品说明 Product description

材质工艺：

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fancional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号 Product Code	JB-W208G3	JB-W208G3D	JB-W209E5D
灯体尺寸 Lamp size	 120*120mm	 120*120mm	 150*60mm
功率 Power	COB 10W	2*COB 10W	2*COB 3W
灯体材质 Lamp material	6063 Aluminum material		
色温 Color temp	3000K / 6000K		
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white		
芯片 LED chips	CREE		
驱动 Power supply	JUNBO driver		
效率 Efficiency	87%		
输入电压 Input voltage	AC85-265V		
防护等级 Protection levels	IP65		





JB-L8011-40W

JB-L8011-60W

JB-L8011-120W




产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配备 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



JB-L8011-160W

JB-L8011-200W

专利号：201730133229.7


技术参数 Technology information

产品型号 Product Code	JB-L8011-40W	JB-L8011-60W	JB-L8011-80W	JB-L8011-120W	JB-L8011-160W	JB-L8011-200W
灯体尺寸 Lamp size	530*360*165mm	530*360*165mm	620*360*165mm	620*360*165mm	720*360*165mm	720*360*165mm
功率 Power	40W	60W	80W	120W	160W	200W
灯体材质 Lamp material	6063 Aluminum material					
色温 Color temp	3000K / 6000K					
灯带颜色 Strip color temp	Blue / Green / Red / Pink / Warm white					
芯片 LED chips	PHILIPS / CREE					
驱动 Power supply	PHILIPS driver / MW driver from taiwan					
透镜角度 Lens Angle	120° - 150°					
效率 Efficiency	87%					
输入电压 Input voltage	AC85-265V					
防护等级 Protection levels	IP65					





JB-3608P



技术参数 Technology information		
产品型号	Product Code	JB-3608P
灯体尺寸	Lamp size	Φ180mm
功率	Power	15W
灯体材质	Lamp material	304 Stainless steel + Aluminum + PC
色温	Color temp	3000K / 6000K
芯片	LED chips	CREE
驱动	Power Supply	MW Driver From Taiwan
效率	Efficiency	87%
输入电压	Input voltage	AC85-265V
防护等级	Protection levels	IP65



JB-3615A3

JB-3615A5

JB-3615A5

JB-3615A9

技术参数 Technology information							
产品型号	Product Code	JB-3615A3	JB-3615A5	JB-3615A9	JB-3615A3	JB-3615A5	JB-3615A9
灯体尺寸	Lamp size	Φ100mm	Φ155mm	Φ200mm	Φ100mm	Φ155mm	Φ200mm
功率	Power	3*1W	5*1W/6*1W/7*1W	9*1W/12*1W	COB 3W-5W	COB 7W-15W	COB 20W-30W
灯体材质	Lamp material	304 Stainless steel + Aluminum + PC			304 Stainless steel + Aluminum + PC		
色温	Color temp	3000K / 6000K / Blue / Red / Green			3000K / 6000K		
芯片	LED chips	BRIGDELUX			BRIGDELUX		
驱动	Power Supply	JUNBO driver			JUNBO driver		
效率	Efficiency	87%			87%		
输入电压	Input voltage	AC85-265V			AC85-265V		
防护等级	Protection levels	IP65			IP65		

产品说明 Product description

- 材质工艺：
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fancional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.



产品说明 Product description

- 材质工艺：
- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
 - 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
 - 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配用 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
 - 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
 - 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fancional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.





JB-5615A5



JB-5615A9

产品说明 Product description

材质工艺:

- 灯具设计风格简约时尚、精致典雅、浪漫古典、与城市美化完美结合。
- 灯体采用 6063 铝合金型材制造，灯杆坚韧度高，材料回收率高。
- 灯具光源部分采用高品质 LED 芯片及电源，灯体侧面发光部分则配有 LED 灯带结合：红光、蓝光、绿光、黄光、白光及 RGB 七彩变色。
- 灯体外部采用纳米多功能涂层、防粘贴、防涂鸦、防刮痕。
- 灯具应用场所：公园、商业区、高档别墅庭园、停车场、广场、道路行人道等。

Material and Technology:

- The product design creating is concise and fashion/delicate and elegant/classics and romantic/perfect combination and city beautification.
- The lamp body using for 6063 aluminum material,the lamp pole is high tenacity and metal material will be high reclaim.
- The light source with high quality LED chips and power supply,the lamp pole two side with LED strip for color:red/blue/green/yellow/white and RGB full color change.
- The lamp pole with Nano multi-fanctional coating/prevent paste/prevent scrawl/prevent scratching.
- The lamp application places:public garden/bussiness area/luxury villa garden/ park/plaza/pavements of road ,etc.

技术参数 Technology information

产品型号	Product Code	JB-5615A3	JB-5615A5	JB-5615A9	JB-5616C3	JB-5616C5	JB-5616C9
灯体尺寸	Lamp size	Φ100mm	Φ155mm	Φ200mm	Φ100mm	Φ155mm	Φ200mm
功率	Power	3*1W	5*1W/6*1W/7*1W	9*1W/12*1W	COB 3W-5W	COB 7W-15W	COB 20W-30W
灯体材质	Lamp material	Aluminum			304 Stainless steel + Aluminum + PC		
色温	Color temp	3000K / 6000K / Blue / Red / Greem			3000K / 6000K		
芯片	LED chips	BRIGDELUX			BRIGDELUX		
驱动	Power Supply	JUNBO driver			JUNBO driver		
效率	Efficiency	87%			87%		
输入电压	Input voltage	AC85-265V			AC85-265V		
防护等级	Protection levels	IP65			IP65		

