



TrackFlex

Powerful Performance. Precise Control.



Visual Hierarchy



Visual Hierarchy





Visual Hierarchy






Visual Hierarchy

Place multiple lights in different positions throughout a space with just a single electrical connection.





Visual Hierarchy


An invitation to position light without limits, Plusminus accommodates any kind of architecture-no matter how unique.




Visual Hierarchy




Visual Hierarchy








Raining light






Raining light



























































































































Bar length 2 m
Tensor cables max. 5 m









1. Each belt can be cut as needed by knife.
2. Simple Press&Lock buckle technology for easy installation and connection.
3. The belt offer adjustments in tension from taut to relaxed.
4. You can move the luminaire freely to any position.

Shaping Atmospheres

Endlessly versatile, offers the freedom to combine different levels o diffuse and focused illumination as never before to create a unique atmosphere in any interior.



Braided tape series



OSRAM

Sphere

Model:	LRX0180-12
Power:	12W
Size:	Φ200X210mm
Material:	AL+PC



OSRAM

Semisphere

Model:	LRX0280-12
Power:	12W
Size:	Φ200x135mm
Material:	AL+PC



CREE

Spotlight


Model:	LRX0340-12
Power:	12W
Size:	Φ94x115mm
Material:	AL



OSRAM

Linear low glare

Model:	LRX0411-12
	LRX0422-24
Power:	12W/24W
Size:	50x34x270mm
	50x34x535mm
Material:	AL



OSRAM

Movable diffuser

Model:	LRX0520A-10
	LRX0540A-20
	LRX0560A-30
Power:	10W/20W/30W
Size:	204x33x55mm
	337x33x55mm
	468x33x55mm
Material:	AL



OSRAM

Movable spotlight

Model:	LRX0620A-10
	LRX0640A-20
	LRX0660A-30
Power:	10W/20W/30W
Size:	204x33x55mm
	337x33x55mm
	468x33x55mm
Material:	AL



OSRAM

Spotlight

Model:	LRX0760-12
Power:	12W
Size:	Φ60x197mm
Material:	AL



OSRAM

Spotlight

Model:	LRX0830-15
Power:	15W
Size:	Φ50x300mm
Material:	AL



OSRAM

Diffuser spotlight

Model:	LRX0930-9
Power:	9W
Size:	80x120mm
Material:	AL



OSRAM

Pipe

Model:	LRX1040-12
	LRX1050-24
Power:	12W/24W
Size:	1000mm/2000mm
Material:	Silica gel

Electrical Connection options

Choose your preferred installation
option according to your needs.



Surface mounted connection box



Model:RX03
Size:Φ65x42.5mm
Material:PC

Built-in connection box



Model:RX04
Size:Φ82x42.5mm
Material:PC

Fasten base



Model:RX05
Size:Φ58x38mm
Material:PC

Tape holder



Model:RX06
Size:60x51x10mm
Material:PC

End cap big



Model:RX07
Size:34x10x7mm
Material:PC

End cap small



Model:RX08
Size:35x25x14mm
Material:PC

Conductive module



Model:RX09
Size:49x29x11mm
Material:PC

Driver



Model:RX02-100/RX02-200
48V 100W/200W

EAGLERISE



Black



Grey



Blue



Red



Braided tape

Model:RX01-10
Size:26x2.6x10000mm

Four color options for the braided tape.